

| 08.01.2025 | Kit Components | |
|--------------|---------------------|--|
| Product code | Description | |
| CSI087802 | Microgen Kit | |
| Components: | | |
| 291073 | MICROGEN Tampone | |
| 291859 | Microgen - Reattivo | |



Page 1/8

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 including amending Regulation EU/2020/878

Printing date 08.01.2025

Version number 1

Revision: 25.06.2024

| 1 Identification of the substance/mixture and of the company/ undertaking |
|--|
| · 1.1 Diagnostic Reagent |
| · Trade name: MICROGEN Tampone |
| Article number: 291073 CAS Number: 7732-18-5 EC number: 231-791-2 UFI: DMN0-E047-U00S-E7T6 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant Identified Uses: For laboratory use only |
| Uses advised against: Uses other than those recommended • Application of the substance / the mixture Diagnostic reagent |
| 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Sclavo Diagnostics International Via Po 26-28, Loc. Pian dei Mori CAP: 53018 - SOVICILLE - (SI) ITALY |
| Further information obtainable from: Product safety department. 1.4 Emergency telephone number: +39 0577 390 444 / 445 |
| |
| 2 Hazards identification |
| • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 The substance is not classified, according to the CLP regulation. |
| 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void |

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
 - Contains formaldehyde. May produce an allergic reaction. Safety data sheet available on request.
- \cdot 2.3 Other hazards
- \cdot Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)

TE

Printing date 08.01.2025 Ve

Version number 1

Revision: 25.06.2024

(Contd. of page 1)

Trade name: MICROGEN Tampone

| · 3.1 Substances · CAS No. Descriptic | listilled, conductivity or of similar purity ber(s) | |
|--|---|-------|
| • Dangerous componen | ts: | |
| CAS: 50-00-0 EINECS: 200-001-8 | formaldehyde | <0.1% |

4 First aid measures

- · 4.1 Description of first aid measures
- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:
 - Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 08.01.2025 V

Version number 1

Revision: 25.06.2024

Trade name: MICROGEN Tampone

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
 Information about fire - and explosion protection:
 - No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· 8.1 Control parameters

 Ingredients with limit values that require monitoring at the workplace: 50-00-0 formaldehyde

OEL Short-term value: 0.738 mg/m³, 0.6 ppm Long-term value: 0.37 0.62* mg/m³, 0.3 0.5* ppm

Carc1B, Sens, *healthcare, funeral, embalm.:11.07.24

· Additional information:

The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment
 General protective and hygienic measures:

- Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

IE

Printing date 08.01.2025

Version number 1

Revision: 25.06.2024

(Contd. of page 3)

Trade name: MICROGEN Tampone

· Eye/face protection Goggles recommended during refilling

9 Physical and chemical properties

 \cdot 9.1 Information on basic physical and chemical properties · General Information · Physical state Liquid Colour: Colourless • Odour: Odourless • Odour threshold: Not determined. 0 °C Melting point/freezing point: · Boiling point or initial boiling 100 °C (7732-18-5 water, distilled, point and boiling range conductivity or of similar purity) · Flammability Not applicable. · Lower and upper explosion limit Not determined. Lower: • Upper: Not determined. Not applicable. Flash point: Decomposition temperature: Not determined. Not determined. рH Viscosity: Not determined. · Kinematic viscosity Dynamic at 20 °C: 0.952 mPas Solubility • water: Fully miscible. · Partition coefficient n-octanol/ water (log value) Not determined. • Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or of similar purity) · Density and/or relative density \cdot Density at 20 °C: 1 g/cm³ · Relative density Not determined. · Vapour density Not determined. • 9.2 Other information · Appearance: Form: Fluid · Important information on protection of health and environment, and on safety. • Ignition temperature: Not determined. • Explosive properties: Product does not present an explosion hazard. · Solvent content: · Organic solvents: 0.0 % • Water: 99.0 % \cdot VOC (EC) 0.02 8 · Solids content: 1.0 % 18.02 g/mol · Molecular weight · Change in condition Not determined.

 Evaporation rate Not
 Information with regard to physical hazard classes
 Explosives Void

(Contd. on page 5)

IE

Printing date 08.01.2025 Vo

Version number 1

Revision: 25.06.2024

Trade name: MICROGEN Tampone

| | | (Contd. of page 4 |
|--------------------------------|------|-------------------|
| Flammable gases | Void | |
| · Aerosols | Void | |
| · Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and | | |
| mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and | | |
| mixtures | Void | |
| Substances and mixtures, which | ch | |
| emit flammable gases in conta | act | |
| with water | Void | |
| • Oxidising liquids | Void | |
| • Oxidising solids | Void | |
| • Organic peroxides | Void | |
| · Corrosive to metals | Void | |
| • Desensitised explosives | Void | |

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- \cdot Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous decomposition products known.

11 Toxicological information

| ٠ | 11.1 Information on hazard classes as defined in Regulation (EC) No |
|---|---|
| | 1272/2008 |
| ٠ | Acute toxicity |
| | Based on available data, the classification criteria are not met. |
| ٠ | Primary irritant effect: |
| • | Skin corrosion/irritation |

- Based on available data, the classification criteria are not met. • Serious eye damage/irritation
- Based on available data, the classification criteria are not met. • Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met. • Germ cell mutagenicity
- Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity
 Based on available data, the classification criteria are not met.
 STOT-single exposure
- Based on available data, the classification criteria are not met. (Contd. on page 6)

Printing date 08.01.2025 Version number 1 Revision: 25.06.2024

Trade name: MICROGEN Tampone

(Contd. of page 5)

STOT-repeated exposure
 Based on available data, the classification criteria are not met.

 Aspiration hazard

Based on available data, the classification criteria are not met.

- · 11.2 Information on other hazards
- Endocrine disrupting properties

The product contains substances, which affect the thyroid system and other hormonal systems.

None of the ingredients is listed.

- 12 Ecological information
 - · 12.1 Toxicity
 - · Aquatic toxicity: No further relevant information available.
 - \cdot 12.2 Persistence and degradability
 - No further relevant information available.
 - · 12.3 Bioaccumulative potential
 - No further relevant information available.
 - · 12.4 Mobility in soil No further relevant information available.
 - \cdot 12.5 Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - · vPvB: Not applicable.
 - **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
 - \cdot 12.7 Other adverse effects
 - · Additional ecological information:
 - General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- 13.1 Waste treatment methods
 Recommendation
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation:
 Disposal must be made according to official regulations.
 Recommended cleansing agents:
- Water, if necessary together with cleansing agents.

14 Transport information

14.1 UN number or ID number
 ADR, IMDG, IATA not regulated
 14.2 UN proper shipping name
 ADR, IMDG, IATA not regulated

(Contd. on page 7)

Printing date 08.01.2025

Version number 1

Revision: 25.06.2024

Trade name: MICROGEN Tampone

| | (Contd. of page 6) |
|---|--------------------|
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| • Class not regulated | |
| · 14.4 Packing group | |
| • ADR, IMDG, IATA not regulated | |
| • 14.5 Environmental hazards: Not applicable. | |
| · 14.6 Special precautions for user Not applicable. | |
| · 14.7 Maritime transport in bulk | |
| according to IMO instruments Not applicable. | |
| · UN "Model Regulation": not regulated | |
| | |

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 72
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed.
- · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
 None of the ingredients is listed.
- 15.2 Chemical safety assessment:
 - A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction.

(Contd. on page 8)

IE

TE -

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31 including amending Regulation EU/2020/878

Printing date 08.01.2025 Version number 1

Revision: 25.06.2024

Trade name: MICROGEN Tampone

(Contd. of page 7) H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H350 May cause cancer. · Department issuing SDS: Product safety department. · Contact: -• Date of previous version: 28.03.2024 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Sens. 1: Skin sensitisation - Category 1 Muta. 2: Germ cell mutagenicity - Category 2 Carc. 1B: Carcinogenicity - Category 1B · * Data compared to the previous version altered.



Page 1/10


Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 including amending Regulation EU/2020/878

Printing date 08.01.2025

Version number 1

Revision: 25.06.2024



Page 2/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31 including amending Regulation EU/2020/878

Version number 1

Revision: 25.06.2024

Printing date 08.01.2025

Trade name: Microgen - Reattivo (Contd. of page 1) · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 GHS06 · Signal word Danger · Hazard statements H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H319 Causes serious eye irritation. · Precautionary statements IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P301+P310 P321 Specific treatment (see on this label). P.3.30 Rinse mouth. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or showerl. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. Dispose of contents/container in accordance with local/ P501 regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT**: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- 64-17-5 ethanol
- Identification number(s)
- **EC number:** 200-578-6
- Index number: 603-002-00-5

4 First aid measures

4.1 Description of first aid measures
General information: Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest provide artificial respiration.
After inhalation: In case of unconsciousness place patient stably in side position for transportation.
After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 08.01.2025 Version number 1

Revision: 25.06.2024

Trade name: Microgen - Reattivo

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 After swallowing:
- Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- \cdot 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

| • | 7.1 Precautions for safe handling |
|---|---|
| | No special precautions are necessary if used correctly. |
| • | Information about fire - and explosion protection: |
| | Keep ignition sources away - Do not smoke. |
| | Protect against electrostatic charges. |
| • | 7.2 Conditions for safe storage, including any incompatibilities |
| • | Storage: |
| • | Requirements to be met by storerooms and receptacles: |
| | Store in a cool location. |
| • | Information about storage in one common storage facility: Not required. |
| • | Further information about storage conditions: |
| | Keep container tightly sealed. |
| | Store in cool, dry conditions in well sealed receptacles. |

(Contd. on page 4)

IE

Version number 1 Revision: 25.06.2024 Printing date 08.01.2025 Trade name: Microgen - Reattivo (Contd. of page 3) · 7.3 Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 64-17-5 ethanol OEL Short-term value: 1000 ppm · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Appropriate engineering controls No further data; see section 7. · Individual protection measures, such as personal protective equipment · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Respiratory protection: Not required. · Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Tightly sealed goggles 9 Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

• Odour threshold:

- · Physical state
- · Colour:
- Odour:

Liquid Cloudy Like alcohol Not determined.

(Contd. on page 5)

ΙE

Printing date 08.01.2025

Version number 1 Revision: 25.06.2024

Trade name: Microgen - Reattivo

| Melting point/freezing point: | -114.5 °C |
|---|---|
| Boiling point or initial boiling | 7 |
| point and boiling range | 78 °C (64-17-5 ethanol) |
| Flammability | Highly flammable. |
| Lower and upper explosion limit | |
| Lower: | 3.5 Vol % (64-17-5 ethanol) |
| Upper: | 15 Vol % (64-17-5 ethanol) |
| Flash point: | 13 °C (64-17-5 ethanol) |
| Auto-ignition temperature: | $425 \ ^{\circ}C \ (64-17-5 \ ethanol)$ |
| Decomposition temperature: | Not determined. |
| | |
| pH Viscosity: | Not determined. |
| Viscosity: Viscosity | Not determined |
| Kinematic viscosity | Not determined. |
| Dynamic at 20 °C: | 1.2 mPas |
| Solubility | |
| water at 20 °C: | 1,000 g/l |
| Partition coefficient n-octanol, | / |
| water (log value) | Not determined. |
| Vapour pressure at 20 °C: | 59 hPa (64-17-5 ethanol) |
| Vapour pressure at 50 °C: | 280 hPa |
| Density and/or relative density | |
| Density at 20 °C: | 0.35 g/cm³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| | |
| 9.2 Other information | |
| Appearance: | |
| Form: | Fluid |
| environment, and on safety. Ignition temperature: Explosive properties: | Not determined. |
| Exprosive properties: | Product is not explosive. However |
| exprosive properties: | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| | formation of explosive air/vapour |
| Solvent content: | formation of explosive air/vapour |
| Solvent content: Drganic solvents: | formation of explosive air/vapour mixtures are possible. |
| Solvent content: Drganic solvents: VOC (EC) | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % |
| Solvent content: Organic solvents: VOC (EC) Solids content: | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % |
| Solvent content: Organic solvents: VOC (EC) Solids content: Molecular weight | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % |
| Solvent content: Drganic solvents: VOC (EC) Solids content: Molecular weight Change in condition | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % |
| Solvent content: Drganic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol |
| Solvent content: Organic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol |
| Solvent content: Drganic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. |
| Solvent content: Drganic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes Explosives | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void |
| Solvent content: Drganic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void Void |
| Solvent content: Organic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void Void Void |
| Solvent content: Organic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void Void Void Void Void |
| Explosive properties: Solvent content: Drganic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Dxidising gases Gases under pressure | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void Void Void |
| Solvent content: Drganic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Dxidising gases Gases under pressure | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void Void Void Void Void |
| Solvent content: Drganic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Dxidising gases Gases under pressure Flammable liquids | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void Void Void Void Void Void |
| Solvent content: Organic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void Void Void Void Void Void Highly flammable liquid and vapour. |
| Solvent content: Drganic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Dxidising gases Gases under pressure Flammable liquids Flammable solids | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void Void Void Void Void Void Highly flammable liquid and vapour. Void |
| Solvent content: Organic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void Void Void Void Void Highly flammable liquid and vapour. Void Void |
| Solvent content: Drganic solvents: VOC (EC) Solids content: Molecular weight Change in condition Evaporation rate Information with regard to obysical hazard classes Explosives Flammable gases Aerosols Dxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and | formation of explosive air/vapour mixtures are possible. 98.9 % 98.85 % 0.9 % 46 g/mol Not determined. Void Void Void Void Void Void Highly flammable liquid and vapour. Void |

Printing date 08.01.2025 Version number 1 Rev

Revision: 25.06.2024

Trade name: Microgen - Reattivo

| | | (Contd. of page 5) |
|--|------|--------------------|
| \cdot Self-heating substances and | | |
| mixtures | Void | |
| Substances and mixtures, which | 1 | |
| emit flammable gases in contac | :t | |
| with water | Void | |
| • Oxidising liquids | Void | |
| · Oxidising solids | Void | |
| · Organic peroxides | Void | |
| · Corrosive to metals | Void | |
| • Desensitised explosives | Void | |

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- \cdot 10.6 Hazardous decomposition products:
- No dangerous decomposition products known.

| 11 Toxicological information | | | | | |
|--------------------------------|---|----------|-----------------------------------|--------------|---------------|
| 1272/2008 | | | lasses as define lowed. | ed in Regula | ation (EC) No |
| · LD/LC50 v | · LD/LC50 values relevant for classification: | | | | |
| 64-17-5 e | thanol | | | | |
| Oral | LD50 | 7,060 1 | mg/kg (rat) | | |
| Inhalativ | re LC50/4 h | 20,000 | mg/l (rat) | | |
| | Primary irritant effect: Skin corrosion/irritation | | | | |
| | | , | classification | | |
| | eye damage/11 ory or skin s | | n Causes serious ation | s eye irrita | ation. |
| Based on | - | ata, the | classification | criteria a | re not met. |
| Based on | available da | - | classification | criteria a | re not met. |
| | available da | , | classification | criteria a | re not met. |
| Based on | | | classification | criteria a. | re not met. |
| - | le exposure available da | ata, the | classification | criteria a | re not met. |
| - | eated exposur | | | | |
| Based on • Aspiratio | | ita, the | classification | criteria a | re not met. |
| - | | ita, the | classification | criteria a | re not met. |

(Contd. on page 7)

Printing date 08.01.2025 Version number 1 Re

Revision: 25.06.2024

Trade name: Microgen - Reattivo

- 11.2 Information on other hazards
 Endocrine disrupting properties
 The product contains substances, which affect the thyroid system and
 other hormonal systems.

 None of the ingredients is listed.
- 12 Ecological information
 - · 12.1 Toxicity
 - · Aquatic toxicity: No further relevant information available.
 - · 12.2 Persistence and degradability
 - No further relevant information available.
 - \cdot 12.3 Bioaccumulative potential
 - No further relevant information available.
 - · 12.4 Mobility in soil No further relevant information available.
 - \cdot 12.5 Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - **vPvB**: Not applicable.
 - 12.6 Endocrine disrupting properties
 - The product does not contain substances with endocrine disrupting properties.
 - · 12.7 Other adverse effects
 - · Additional ecological information:
 - General notes: Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• European waste catalogue

HP3 Flammable

- Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

14 Transport information

| V1170 |
|---|
| 170 ETHANOL (ETHYL ALCOHOL) THANOL (ETHYL ALCOHOL) Thanol |
| |

(Contd. of page 6)

Printing date 08.01.2025 Version numb

Version number 1 Revision: 25.06.2024

Trade name: Microgen - Reattivo

| | (Contd. of page |
|--|--|
| · 14.3 Transport hazard class(es) | |
| ADR | |
| | |
| | |
| 3 | |
| Class | 3 (F1) Flammable liquids. |
| Label | 3 |
| IMDG, IATA | |
| | |
| | |
| | |
| | |
| Class Label | <i>3 Flammable liquids.</i> <i>3</i> |
| | 5 |
| 14.4 Packing group ADR, IMDG, IATA | II |
| | |
| 14.5 Environmental hazards: | Not applicable. |
| 14.6 Special precautions for user | Warning: Flammable liquids. |
| Hazard identification number (Kemler code): | 33 |
| EMS Number: | <i>F-E</i> , <i>S-D</i> |
| Stowage Category | A |
| · 14.7 Maritime transport in bulk | |
| according to IMO instruments | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| · Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner |
| | packaging: 30 ml Maximum net quantity per outer |
| | packaging: 500 ml |
| Transport category | 2 |
| Tunnel restriction code | D/E |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer |
| | packaging: 500 ml |
| · UN "Model Regulation": | UN 1170 ETHANOL (ETHYL ALCOHOL), 3, |
| - | II |

(Contd. on page 9)

Printing date 08.01.2025 Version number 1

Revision: 25.06.2024

Trade name: Microgen - Reattivo

(Contd. of page 8)

15 Regulatory information · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Directive 2012/18/EU · Named dangerous substances - ANNEX I Substance is not listed. · Seveso category H2 ACUTE TOXIC P5c FLAMMABLE LIOUIDS · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 +· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 · Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. · Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. · Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. · Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No

- 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.
- · Department issuing SDS: Product safety department.
- · Contact:
- · Date of previous version: 28.03.2024
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)

TE

Printing date 08.01.2025 Version number 1 Revision

Revision: 25.06.2024

(Contd. of page 9)

IE

Trade name: Microgen - Reattivo

vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids - Category 2
Acute Tox. 3: Acute toxicity - Category 3
Eye Irrit. 2: Serious eye damage/eye irritation - Category 2
· * Data compared to the previous version altered.