

Page 1/11

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 including amending Regulation

Ρ

	EU/2020/878				
rint	ing date 08.01.2025 Version number 1 Revision: 08.01.2025				
	Identification of the substance/mixture and of the company/ undertaking				
• :	1.1 Diagnostic Reagent				
• !	Frade name: <u>Colorante di May Grunwald</u>				
- 1 - 1 - 1 - 1	Article number: G54350150 DFI: DN10-JOKH-500D-7TOX L.2 Relevant identified uses of the substance or mixture and uses advised against Relevant Identified Uses: For laboratory use only Uses advised against: Uses other than those recommended Application of the substance / the mixture Diagnostic reagent				
- 1	1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Sclavo Diagnostics International Via Po 26-28, Loc. Pian dei Mori CAP: 53018 - SOVICILLE - (SI) ITALY				
	Further information obtainable from: Product safety department. 1.4 Emergency telephone number: +39 0577 390 444 / 445				
• 2	Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008				
•	GHS02 flame				
-	Flam. Liq. 2 H225 Highly flammable liquid and vapour.				
•	GHS06 skull and crossbones				
-	Acute Tox. 3 H331 Toxic if inhaled.				
•	GHS08 health hazard				

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

· 2.2 Label elements

 \cdot Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. (Contd. on page 2)

IE -

Printing date 08.01.2025 Version number 1

Revision: 08.01.2025

Trade name: Colorante di May Grunwald

(Contd. of page 1) Hazard pictograms GHS02 GHS06 · Signal word Danger · Hazard-determining components of labelling: methanol · Hazard statements H225 Highly flammable liquid and vapour. H331 Toxic if inhaled. H370 Causes damage to the central nervous system and the visual organs. · Precautionary statements P241 Use explosion-proof [electrical/ventilating/lighting] equipment. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P405 Store locked up. P501 Dispose of contents/container in accordance with local/ regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- Description:

Mixture of substances listed below with nonhazardous additions.

• Dangerous componen	ts:				
CAS: 67-56-1	methanol	>50-≤100응			
EINECS: 200-659-6	 ♦ Flam. Liq. 2, H225; ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT SE 1, H370 Specific concentration limits: STOT SE1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 % 				
· Additional information:					

For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- General information:
 - Immediately remove any clothing soiled by the product. Remove breathing equipment only after contaminated clothing have been completely removed.

(Contd. on page 3)

Printing date 08.01.2025 Version number 1

Revision: 08.01.2025

Trade name: Colorante di May Grunwald

(Contd. of page 2) In case of irregular breathing or respiratory arrest provide artificial respiration. • After inhalation:

- Supply fresh air or oxygen; call for doctor. In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
 After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

 \cdot 5.1 Extinguishing media

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

(Contd. on page 4)

IE -

Printing date 08.01.2025 Version number 1

(Contd. of page 3)

Trade name: Colorante di May Grunwald

Protect against electrostatic charges. Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- \cdot Requirements to be met by storerooms and receptacles:
 - Store in a cool location.
- Information about storage in one common storage facility: Not required.
 Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: 67-56-1 methanol
 - OEL Long-term value: 260 mg/m³, 200 ppm Skin, IOELV
- · Additional information:
 - The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- \cdot Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
 - Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Required when vapours/aerosols are generated.

Our recommendations on respiratory protection filtering are based on the following standards: DIN EN 143, DIN 14387 and other associated standards relating to the respiratory protection system used. Suggested filter type: ABEK filter type

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the (Contd. on page 5)

Printing date 08.01.2025 Version number 1

Revision: 08.01.2025

Trade name: Colorante di May Grunwald

(Contd. of page 4) application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Tightly sealed goggles Use eye protection devices tested and approved according to the requirements of appropriate technical standards such as NIOSH (USA) or EN 166 (EU) Safety glasses · Body protection: · Skin protection This recommendation only applies to the product identified in the MSDS, supplied by us and for the purpose we have determined. When dissolving or mixing with other substances and under conditions other than those stipulated in EN 374, please contact the EC-approved glove supplier (e.g. KCL GmbH, D-36124 Eichenzell, Internet:www.kcl.de). Full contact Material: butyl rubber Minimum thickness: 0.7 mm Permeation time: > 480 min Tested material:Butoject[®] (KCL 898) Spray contact Material: Viton® minimum thickness: 0.70 mm Permeation time: > 120 min Tested material:Vitoject® (KCL 890 / Aldrich Z677698, Size M) 9 Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information · Physical state Liquid · Colour: Blue · Odour: Aromatic · Odour threshold: Not determined. • Melting point/freezing point: -98 °C · Boiling point or initial boiling 64.7 °C (67-56-1 methanol) point and boiling range · Flammability Highly flammable. · Lower and upper explosion limit · Lower: 5.5 Vol % (67-56-1 methanol)

> 44 Vol % (67-56-1 methanol) 11 °C (67-56-1 methanol)

455 °C (67-56-1 methanol)

Not determined. Not determined.

Not determined. Not determined.

Fully miscible.

- Upper:
 Flash point:
 Auto-ignition temperature:
 Decomposition temperature:
- · pH
- Viscosity:
- Kinematic viscosity
 Dynamic:
- Solubility
- water:

(Contd. on page 6)

IE

Printing date 08.01.2025 Version number 1

Revision: 08.01.2025

Trade name: Colorante di May Grunwald

	(Contd. of page 5)
· Partition coefficient n-octanol/	,
water (log value)	Not determined.
• Vapour pressure at 20 °C:	128 hPa (67-56-1 methanol)
• Density and/or relative density	
• Density at 20 °C:	0.8005 g/cm³
· Relative density	Not determined.
• Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
• Important information on	
protection of health and	
environment, and on safety.	
• Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However,
	formation of explosive air/vapour
	mixtures are possible.
Solvent content:	
• Organic solvents:	95.0 %
· Water:	5.0 %
· VOC (EC)	95.00 %
• Solids content:	0.0 %
• Molecular weight	32 g/mol
· Change in condition	
• Evaporation rate	Not determined.
• Information with regard to	
physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
• Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids · Flammable solids	Highly flammable liquid and vapour.
• Flammable solids • Self-reactive substances and	Void
 Self-reactive substances and mixtures 	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and	VOIU
mixtures	Void
• Substances and mixtures, which	Void
emit flammable gases in contact	
with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void
· · · · · · ·	

10 Stability and reactivity

• 10.1 Reactivity No further relevant information available.

(Contd. on page 7)

Printing date 08.01.2025 Version number 1

· Thermal decomposition / conditions to be avoided:

Revision: 08.01.2025

(Contd. of page 6)

Trade name: Colorante di May Grunwald

10.2 Chemical stability

No decomposition if used according to specifications. · 10.3 Possibility of hazardous reactions No dangerous reactions known. · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: No dangerous decomposition products known. 11 Toxicological information · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Toxic if inhaled. · LD/LC50 values relevant for classification: ATE (Acute Toxicity Estimates) Inhalative LC50/4 h 3.16 mg/l 67-56-1 methanol Oral LD50 5,628 mg/kg (rat) Dermal LD50 15,800 mg/kg (rabbit) · Primary irritant effect: · Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met. · Respiratory or skin sensitisation Based on available data, the classification criteria are not met. · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure Causes damage to the central nervous system and the visual organs. · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. · 11.2 Information on other hazards • Endocrine disrupting properties The product contains substances, which affect the thyroid system and other hormonal systems. None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability
- No further relevant information available.
- · 12.3 Bioaccumulative potential
- No further relevant information available.

(Contd. on page 8)

ΙE

Printing date 08.01.2025 Version number 1

Trade name: Colorante di May Grunwald

(Contd. of page 7) · 12.4 Mobility in soil No further relevant information available. · 12.5 Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. · 12.7 Other adverse effects · Additional ecological information: • General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity

• Uncleaned packaging:

- · Recommendation:
- Disposal must be made according to official regulations.
- · Recommended cleansing agents:
 - Water, if necessary together with cleansing agents.

14 Transport information

 14.1 UN number or ID number ADR, IMDG, IATA 	UN1230
 14.2 UN proper shipping name ADR IMDG IATA 	1230 METHANOL solution METHANOL solution Methanol solution
· 14.3 Transport hazard class(es)	
· ADR	
· Class	3 (FT1) Flammable liquids.
	(Contd. on page

Printing date 08.01.2025

Version number 1

Revision: 08.01.2025

Trade name: Colorante di May Grunwald

	(Contd. of page
Label	3+6.1
IMDG	
Class Label	3 Flammable liquids. 3/6.1
IATA	
Class Label	3 Flammable liquids. 3 (6.1)
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number	Warning: Flammable liquids.
(Kemler code):	336
EMS Number: Stowage Category	F-E,S-D B
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer
	packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
IMDG	
IMDG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner
	packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1) II

(Contd. on page 10)

Printing date 08.01.2025 Version number 1

Revision: 08.01.2025

Trade name: Colorante di May Grunwald

(Contd. of page 9)

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category H2 ACUTE TOXIC P5c FLAMMABLE LIQUIDS · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 +· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 69 · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 · Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. · Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. · Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. · Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases
H225 Highly flammable liquid and vapour.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H331 Toxic if inhaled.
H370 Causes damage to organs.
H371 May cause damage to organs.

· Department issuing SDS: Product safety department.

- · Contact: -
- Date of previous version: 25.06.2024

(Contd. on page 11)

IE

Printing date 08.01.2025 Version number 1

Revision: 08.01.2025

Trade name: Colorante di May Grunwald

(Contd. of page 10) · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity - Category 3 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 • * Data compared to the previous version altered. ΙE